





INDEX

II	IFLATABLE KAYAKS	7	
TH TV SV SV SF SF	USH HAYA WIST WING DLAR RAMURA EAWAVE AFARI 330	9 11 13 15 17 19 21 23 25	
IN	IFLATABLE CANOES	29	
PA BA S(UBY XL ALAVA ARAKA COUT RINOCO	31 33 35 37 39	
II	IFLATABLE BOATS AND RAFTS	43	
C	NTARIO DLORADO 450 ULSAR	45 47 49	
II	IFLATABLE FISHING BOATS	53	
	ALIBUT	55 57	
0	THERS	58	
Te Pa Ad Cl	sed materials echnical smart features addle ccessories othes oat description	58 60 62 64 66 68	

LEGEND



Max. number of persons



Weight



Self-draining bottom with a roll-top seal



Self-draining bottom



Motor attachment



Fast moving water with ripples and small waves.



Straightforward rapids with wide, clear and evident channels. Clearly visible rocks or other obstructions with medium-sized waves.



Rapids with moderate, irregular large waves which may be difficult to avoid. Strong eddies and powerful current effects.



Intense, powerful rapids requiring precise boat handling in turbulent water. It may feature large, unavoidable waves and holes.



Extremely difficult rapids with obstructions and dangerous currents. Drops may contain large, unavoidable hazards.



Drop-stitch technology used in the boat.

NEW RUSH – THE MOST VERSATILE KAYAK OF THE GUMOTEX RANGE



Last year we introduced **THAYA**, a revolution in the field of inflatable boats. This kayak was not just another boat in our range, but also launched a new era of rubber-textile boats using **drop-stitch** technology. From this success we have created our next boat, the **RUSH** which brings further innovation and new features.

In addition to a great new colour scheme this versatile kayak further develops drop stitch technology with a hydrodynamicly shaped bow and a well defined keel section. The kayak can be used for a wide range of activities from recreational touring on rivers and lakes to coastal paddling and even white water (up to grade 2).

In poor weather an optional rudder can be added and a cockpit (recommended accessories).

This kayak is versatile, fast and stable.

The kayak in the **RUSH 2** version can be used in both single and two-seat versions thanks to variable seating.











WE MANUFACTURE RUBBER BOATS THEY ARE ENVIRONMENTALLY FRIENDLY

AND EASY TO REPAIR One of the basic production materials of the boat is found between bark and wood of the para rubber tree. The boats are very durable due to great natural features and synthetic rubber blends that we develop. In the unlikely event of any issues the material is easily repaired with the kit supplied with all our boats.



WE'VE GOT YOUR BACK





Boats for every occasion

Inflatable kayaks are stable, safe, easy to use and easy to pack. Recreational kayaks are designed for paddling on calm water such as lakes or coastal estuaries. White-water kayaks are designed for experienced paddlers for river descents with a higher degree of difficulty.

page 9


























Future solved ...



An innovative and versatile kayak design which further expands the possibilities of **drop-stitch** technology (hydro-dynamically designed bow and keel). **RUSH** is suitable for recreation, touring, calm lakes, coastal waters as well as navigating white water up to grade 2. For better comfort in poor weather conditions, it can be equipped with a rudder or a removable cockpit (recommended accessories). The main advantages are versatility, speed and stability.

RUSH 2 kayak can be used as a single or as a double kayak.

Drop-stitch technology is based on the connection of the upper and lower layers of the fabric with thousands of

polyester fibers. This fabric, equipped with an airtight coating, is protected from both sides by a resistant **NITRILON®** material. Thanks to the thousands fibers holding both layers together, these products can be inflated up to very high pressure. It enables the material to obtain robustness approaching the robustness of solid materials, and that is with the preservation of the same rollability as our existing boats.

	RUSH 1	RUSH 2
Length and width	355 × 81 cm	420 × 82 cm
Maximal load	150 kg	195 kg
Air chambers	3 + 1	3 + 2



Kayak with inflatable, solid bottom





The revolutionary **THAYA** inflatable kayak uses a combination of our special **NITRILON**® material with **drop-stitch*** technology and is defined by its excellent stability, stiffness and maneuverability. The unique combination of the inflatable side tubes and modern **drop-stitch*** technology creates an universal combination which maximizes the user's comfort and improves the handling properties of the boat. Light-weight and easy to pack away are added benefits of the **THAYA**. It is suitable for the recreational paddling on lakes, gentle coastal waters and rivers up to Gr. 2. Seating positions can be adjusted for 1, 2 adults or 2 adults + 1 child. Optional

foredeck splash cover offers protection for the front paddler and prevents water flowing over the bow.

*more at page 9.

-	-	Α	N.	,	п

Length and width	410 × 89 cm
Maximal load	230 kg
Air chambers	3 + 2 / 4 / 6 + 2

WEE



Lightweight kayak for everyone



Are you looking for a small, lightweight, space-saving kayak as a companion on the road and your watersport adventures? Then the **TWIST** is the right choice for you, whether exploring new places on lakes or travelling on calm rivers. The **TWIST 1** is the smallest and the lightest kayak from our fleet. The **TWIST 2/1** can be easily transformed from its two-seat version to its one-seat version or vice versa, thanks to an innovative design. The kayak is stable enough for a variety of paddler sizes, and comfortably fits two people.

TWIST 1	TWIST 2/1
260 × 79 cm	360 × 83 cm
100 kg	180 kg
3 + 2	3 + 3
	260 × 79 cm 100 kg



Sit-in inflatable kayak




SWING is a sit-in inflatable kayak great for relaxing trips on sheltered waters, harbours, lakes and rivers up to Gr. 2. The kayak is supplied with two aluminium reinforcements for improved rigidity of the hull, maneuverability and stability. The reinforcements also shape the deck of the kayak. Thanks to its low weight the kayak is perfect for trips with frequent portages. The kayak is available in a single and a double version.

	SWING 1	SWING 2
Length and width	316 × 87 cm	402 × 87 cm
Maximal load	120 kg	220 kg
Air chambers	3	3



A family kayak that almost paddles itself





The **SOLAR** inflatable kayak serves for both trips on lakes and touring on rivers up to Gr. 2. An optional foredeck splash cover offers protection from the elements for the front paddler and prevents water flowing over the bow. The kayak is equipped with a drainage hole in the rear deck. The **SOLAR** is equipped with two seats and fixtures for an optional third seat. As a result, the **SOLAR** boasts versatility with paddling setups for solo, tandem or 2+1 use.

60	-	-

Length and width	410 × 80 cm
Maximal load	270 kg
Air chambers	3 + 2 + 2



The fastest GUMOTEX kayak




FRAMURA is the fastest kayak produced by **GUMOTEX**. It is designed for leisure and touring and is suitable for sheltered waters, harbours, inlets and lakes as well as calm rivers up to Gr. 1. **FRAMURA** has carrying capacity in the front and rear. The kayak has a fixed deck, elastic netting and a comfortable inflatable seat: it's a feature rich touring kayak with optional spray skirt and rudder. A sea-kayak paddle is an ideal choice for **FRAMURA**.

Length and width 410 × 75 cm Maximal load 180 kg Air chambers 3 + 1 + 1

FRAMURA



The ultimate GUMOTEX touring kayak



Thanks to its long narrow shape, the **SEAWAVE** kayak is easy to control and very fast. It can be converted from a three-person version into a two-person or one-person kayak by moving the seats. Installation of an optional deck makes **SEAWAVE** a great sea kayak. Aluminium reinforcements support the deck and stiffen the kayak. The floor features a pronounced keel for handling in the wind and better tracking. **SEAWAVE** is an excellent touring kayak suitable also for seakayaking in sheltered waters.

SEAWAVE

Length and width	455 × 83 cm
Maximal load	250 kg
Air chambers	3 + 3 + 2



Fun kayak for rivers and sea surfing






SAFARI 330 is a sports kayak with a self-bailing bottom suitable for rivers up to Gr. 3 white water, coastal kayaking or surfing. The new **SAFARI 330** is longer, wider and more stable than its precursor. It is spacious enough to fit well-built kayakers and thanks to significantly improved stability suitable even for less experienced paddlers. The stern and bow can accommodate dry bags with your personal gear. Elastic ropes secure the bags in place.

SAFARI 330

Length and width	330 × 80 cm
Maximal load	130 kg
Air chambers	3 + 1 + 2



Durable white water kayaks



K1 and **K2** are inflatable kayaks with a self-bailing floor designed specifically for white water. The kayak is very stable and forgiving making it confidence inspiring for novice kayakers, even on more technical runs. Both **K1** and **K2** offer ample seating space and an inflatable seat(s) for comfort plus thigh straps for better control of the kayak in rapids.

	K1	K2
Length and width	340 × 98 cm	390 × 100 cm
Maximal load	100 kg	200 kg
Air chambers	3 + 2 + 1	3 + 2 + 3







"Gumotex has its own rubber-based material, and thanks to drop-stitch technology it's almost as if it's made of hardshell."

Hynek Hampl aka Hynecheck, photographer and traveller

(Fig. 1.) I can't imagine a better morning by the water than this. With the Thaya kayak, we did not even have to worry about stones on the beach. Gumotex has its own rubber-based material, and thanks to drop-stitch technology the kayak is almost as if it's made of solid material. I was interested in this, so I found it on their website. :) If someone peeks over a kayak for two, this flagship of Gumotex is definitely a great choice. You can borrow it first if you are unsure. I have to say that I was looking forward "only" to the one-seat kayak that I now have, and in the end I was having a hard time returning Thaya. And I think I'll take her again with the guys for a ride.

(Fig. 2. a 3.) This is Swing 1 inflatable kayak. Folded, it has about 11 kilograms and can be easily carried on your back. It caught us so much that I already have one at home and I will probably be taking it on trips often now. It is incredible freedom (and fun) to be able to ride on favourite lakes and rivers and enjoy everything from a different perspective. I was afraid of folding, but in a few minutes you are ready for water and in a few minutes it is folded back. I was afraid I would flip over, but it is surprisingly pretty stable. So I'm going to pack up for the next trip, which is now awaiting us in South Bohemia. Oh, and not to forget, it's a Czech brand with an emphasis on ecology. In my opinion, the best cooperation this year and a product for which I really stand up and recommend it to everyone. Now when someone asks me how I'm doing, I'll say great because I have a kayak.





An ideal partner for long journeys

Inflatable canoes are safe, easy to use and easily packable. They excel in their speed and agility, and also have plenty of storage space. Inflatable canoes are intended primarily for overnight trips and exploring waters with a lower degree of difficulty.





Recreational boat with optional motor attachment



The new, larger boat **RUBY XL** is 17cm wider than the original version while maintaining an excellent handling performance. It can be used with oars, with paddles as a canoe, or with a motor. The fastening of the transom has also been improved, which is now much more robust and can be fitted with a motor with the maximum power up to 5 hp = 3.7 kW. The **RUBY XL** boat is suitable for recreational coastal use, or just trips on lakes and quieter watercourses. With canoe paddles, without motor and oars, this boat can be used for river cruising up to the Gr. 2.

RUBY XL

Length and width	430 × 125 cm
Maximal load	410 kg
Air chambers	3



Evergreen of European rivers



The **PALAVA** inflatable canoe is eye catching with its sporty look and excellent handling performance. Thanks to its longer hull, it offers a storage space and a flexibility of seat positioning provides comfort for anyone. When riding in rapids, it is possible to kneel and use the thigh straps. The canoe is suitable for river cruising up to the Gr. 3 as well as for a comfortable touring on placid natural and artificial lakes.

PALAVA

Length and width	400 × 94 cm
Maximal load	240 kg
Air chambers	3



Sports canoe with plenty of smart features



BARAKA is a river canoe with a self-bailing floor that can handle white water up to Gr. 4. The boat has a rigid hull that handles well in rapids. **BARAKA** provides its crew with many useful features and fittings and with plenty of space inside. The boat is designed for two adults plus a child, up to 350 kg max load. **BARAKA** is the right choice for paddlers, who are looking for a boat designed without compromises.

BARAKA

Length and width	410 × 105 cm
Maximal load	350 kg
Air chambers	3 + 1



Comfortable canoe for long expeditions



SCOUT is an inflatable canoe with a modern design. The boat offers plenty of features for the paddler's comfort and convenience, such as large inner space combined with huge payload and smooth handling. SCOUT makes an ideal boat for adventures with plenty of carrying capacity, suitable for white water enthusiasts or for family trips. This boat is available in a STANDARD or ECONOMY+ (S/E+) version. STANDARD version brings an innovative system of T-BONES reinforcements that strengthen the boat's floor

and provide great handling qualities comparable with a rigid canoe.

SCOUT ECONOMY+/STANDARD

Length and width	445 × 95 cm				
Maximal load	450 kg				
Air chambers	3				




Durable tandem boat



ORINOCO is a multi-purpose inflatable boat suitable for river cruising, overnight trips and expeditions, white water, and it also makes a great family boat. The river raft-like design provides experienced paddlers with essential stability while running white water. Thigh straps with safety clasp provide better control in rapids.

ORINOCO

Length and width	405 × 105 cm
Maximal load	350 kg
Air chambers	3







Boats capable of tackling the toughest whitewater rapids

Inflatable boats and rafts from this category are designed for both experienced paddlers to take on rapids and for multi-day trips with the whole family or a set of friends. These boats are robust, durable and safe. We have equipped them with a self-bailing bottom and many safety elements. We recommend using a buoyancy aid, helmet and suitable clothing.



page 45





page 49




page 47





Ontario 30 kg

Our fastest multi-seat boat



ONTARIO is a six-person boat suitable for multi-day trips on rivers with the whole family. **ONTARIO** is easy to control, fast and nimble. The shorter **ONTARIO 420** has non-bailing floor and is suitable for rivers with lower difficulty white water. The new and larger **ONTARIO 450 S** is a self-bailing boat that can handle more serious rapids than the shorter version. **ONTARIO** is a versatile boat suitable for everyone.

ONTARIO 420 ONTARIO 450 S

Length and width	420 × 145 cm	450 × 157 cm 630 kg		
Maximal load	600 kg			
Air chambers	3 + 3	3 + 3		



Performance multi-purpose boat




COLORADO 450 is a multi-purpose boat. This six-person boat is great for river cruising or performance white water with experienced paddlers. The open stern provides the outflow of water in rapids. The legendary **COLORADO** has served on many expeditions into remote places around the world and is still a very popular team racing river boat in the Czech Republic.

COLORADO 450

Length and width	450 × 160 cm
Maximal load	600 kg
Air chambers	3 + 5



Raft for the toughest conditions



PULSAR are sought after by rafting operators, sports centres, water sports clubs and also for raft racing. The fast and rigid hull combined with the self-bailing inflatable bottom provides exceptional stability and very fast draining in rapids. **PULSAR** rafts have been chosen several times as

the official race boats for the European Championships (most recently for the European Rafting Champs 2016 in Slovenia) and also the official race boat for the 2003 World Championships that took place in the Czech Republic on the Vltava River.

	PULSAR 380	PULSAR 420	PULSAR 450	PULSAR 560	
Length and width	380 × 178 cm	420 × 190 cm	450 × 210 cm	560 × 210 cm	
Maximal load	650 kg	800 kg	900 kg	920 kg	
Air chambers	5 + 2	5 + 2	5 + 3	5 + 3	







"However, I currently sail most often on the brand new Thaya boat, which can comfortably accommodate four children in addition to my photographic equipment."

Petr Jan Juračka, photographer, scientist, adventurer

My life story has been associated with inflatable boats since its beginning, when our enlightened grandfather bought the first such boat to carry his grandchildren on the surface of the Hlubák pond near Pardubice. But the first serious experience for me was a trip to the deepest lake in the world, Baikal. At that time we crossed the northern shores of this Siberian pearl on two Gumotex Baraka boats, which surprised me with their mechanical durability and stability. One day we found ourselves a good half kilometre from the shore in waves higher than three meters. Every time I hit these giant waves, my bow paddler disappeared before my eyes, as the boat had always bent at the top of the wave. A few years later I gave myself a small and extremely compact Gumotex Twist kayak under the Christmas tree. With it I most often set out on my beloved Orlice river, but it well withstood also the waves of the Mediterranean Sea and eventually I sailed with

it a part of the underground Punkva river in the Amateur Cave of the Moravian Karst.

However, I currently sail most often on the brand new Thaya boat, which can comfortably accommodate four children in addition to my photographic equipment. In this formation, we have recently sailed the river Jizera. At that time, I gave the children the task of trying to capsize the boat. We failed, although I stood at the very edge of the boat on which I was literally jumping. Although Thaya is such a large boat, it was no problem for me to pack it with a pump on my back, give the children paddles and take the bus to Sezemice, from where we sailed across the Loučná, Labe and Chrudimka rivers all the way home. I write these lines in a hammock in Slovenia, where we are on the shore of Lake Bohinj under the tent. I can't wait to inflate Thaya in the evening and take my whole family to this beautiful glacier lake.





Best for passionate fishermen

GUMOTEX inflatable fishing boats are designed for recreational and sports fishing. They provide a platform from which to fish. Their main feature is stability – they enable standing up while casting the line. The supplied accessories include comfortable inflatable seats with backrest, rod holders and other fishing equipment. These boats pack up in the carry bag provided and are easy to carry or store.





Unique fishing kayak



HALIBUT is an inflatable fishing kayak, offering a new dimension in the sport of angling. Thanks to its compact dimensions when packed, it is possible to enjoy kayak fishing even in remote locations. **HALIBUT** is very stable, responsive and fast when moving on the water. The inflatable kayak floor is fitted with a marine plywood standing platform. A raised adjustable seat makes for easy embarking and disembarking and also provides comfort while waiting for a catch.

HALIBUT

Length and width	375 × 96 cm
Maximal load	200 kg
Air chambers	3 + 1



Comfort boat for fishermen



The updated **ALFONSO** fishing boat is mainly distinguished by its excellent stability and plenty of space for up to 3 passengers (or 2 fishermen). It can be used with oars, with paddles as a canoe, or in combination with a motor. The fastening of the transom has also been improved, which is now much more robust and can be fitted with a motor with the maximum power up to 5 hp = 3, 7 kW. A new addition – the boat has 5 bases for mounting a wide range of holders and fasteners for accessories (4 bases are placed on the side tubes because of a greater practicality, so they do not reduce the interior space of the boat, and

the 5th base is intended for the eventual positioning on the middle or rear seat). This boat is suitable for white water up to Gr. 2 using paddles alone.

ALFONSO


Length and width	430 × 125 cm
Maximal load	410 kg
Air chambers	3


INTRODUCING THE SECRET OF OUR BOATS STRENGTH

We make everything from the beginning and so we have developed our own fabric based on natural rubber which guarantees excellent boat durability. They are resistant to abrasion, aging and sunlight.

NITRILON® DOUBLE-SIDED


Material composition: high-strength PES fabric (1) with doublesided synthetic rubber coating (2). The material is highly resistant to abrasion, ageing and UV. Tensile strength min. 3 000/3 000 N (sample 20×5 cm). Minimum weight 1 192 g/m².





NITRILON®

Material composition: high-strength PES fabric (1) with outer synthetic rubber coating (2) and inner natural rubber blend coating (3). The material is highly resistant to abrasion, ageing and UV. Tensile strength min. 3 000/3 000 N (sample 20×5 cm). Minimum weight 920 g/m^2




NITRILON® + DROP-STITCH

Material composition: outer coating based on synthetic rubber (1), anchoring layer (2), high-strength PES cloth (1 100 dTex) (3), anchoring layer (4), natural and synthetic rubber coating (5), natural and synthetic rubber coating (6), anchoring layer (7), top sheet of drop-stitch cloth (8), spacing fibres of drop-stitch cloth (9). Minimum tensile strength is 3 600/3 100 N (20 × 5 cm sample). Minimum weight is 1 270 g/m².

NITRILON® EXTRA

Material composition: high-strength PES fabric (1) with inner and outer layer of synthetic rubber (2) coating and outside NITRILON® EXTRA (3) coating. The top quality material for maximum load and for use in demanding climatic conditions. Tensile strength min. 3 000/3 000 N (sample 20 × 5 cm). Minimum weight 1 487 g/m2.



PES PUR


Material composition: PES fabric of RIPSTOP (1) type with inner polyurethane layer (2) and Teflon water-repellent finish (3). The material is abrasion, ageing and UV radiation resistant. Minimum pull strength 1 100/900 N (specimen 20 × 5 cm).


SMART TECHNICAL FEATURES:

SOLID BOTTOM USING DROP-STITCH TECHNOLOGY

The bottom is reinforced by thousands of fibres connecting its inner walls. Thanks to this the boat is very stable and difficult to capsize.

Included on: THAYA and RUSH kayak.







TRACKING FIN HELPS TO STEER COURSE


The tracking fin makes much easier to control the kayaks. Ensuring the boat tracks well and maintains good directional stability.


To be found at: THAYA, RUSH, TWIST, SWING, SOLAR, FRAMURA, SEAWAVE, SAFARI 330 and HALIBUT kayaks.

SELF-BAILING BOTTOM WITH A ROLL-TOP SEAL

When tackling rapids, getting some water in the boat is unavoidable, but thanks to the self-bailing floor design the water will drain away without effort. The rolling closure allows the floor to be sealed for calm water use

To be found at: BARAKA, SCOUT Standard and ORINOCO boats.






T-BONES REINFORCEMENTS


Metal reinforcements placed under the seats serve to shape and reinforce the bottom of the boat. Actually, the inflatable boat gains the performance characteristics of a hard-shell canoe.

To be found at SCOUT Standard canoe.





with T-bones




SELF-BAILING BOTTOM WITH DRAINAGE HOLES

Unobtrusive holes in the bottom of the boat will ensure you stay dry through more ferocious rapids. With water draining immediately.

To be found at: SAFARI 330, K1, K2, ONTARIO 450S and PULSAR hoats

COMFORT ABOVE ALL ELSE

Even if you attach a third seat to your SEAWAVE, SOLAR or THAYA kayaks, each paddler will still have plenty of room and comfort. We respect the rules, and so all our boats comply with legal standards. As for boat capacity, we often supersede the standards.



PADDLE



PADDLE TYPE 504 RAFTGUIDE

Rafting paddle with a blade surface area of 985 cm²

Length:

145, 150, 160, 170 cm

Weigh:

0,88 – 0,965 kg (depending on size)



CANOE PADDLE TYPE 505 ALLROUND

Canoe paddles with a blade surface area of 802 cm²

Length:

145, 150, 160, 170 cm

Weigh:

0,72 – 0,90 kg (depending on size) 505.0 one-piece, 505.2 two-piece, 505.3 three-piece



KAYAK PADDLE TYPE 702 ALLROUND

Traditional kayak paddle with asymmetrical blade, blade surface area 709 cm²

Length:

200 – 240 cm increasing 10 cm

Weigh:

1,145 – 1,385 kg (depending on size) 702.0 one-piece, 702.2 two-piece, 702.3 three-piece



PADDLE TYPE 703.2 SEA

Classic double touring paddle for lakes and sea touring, paddle blade surface area 626 cm²

Length:

200 – 240 cm increasing 10 cm

Weigh:

1,24 kg (depending on size)



ACCESSORIES



Transport drybag 70 l, 80 l, 100 l, 135 l



Expedition transport bag 100 l



Drybag for storing equipment 20 l, 40 l, 60 l



Drybag for small items 8 l, 12 l, 20 l



Deck RUSH 1, 2





Additional front deck THAYA, SOLAR



Double-action hand pump SUPER 4



Double/single-action hand pump SUPER 4/2, 6/3, 4/2 HP, 6/3 HP



Single-action hand pump RAFTER 5l



Electrical inflator BRAVO 230/1000



Foot pump BRAVO 1



Spray skirt SWING, SEAWAVE, FRAMURA



UV-Tech product for treatment of inflatable kayaks and boats



Push-Push valve (0,2 Bar)



Modified Push-Push valve reduction



Safety relief valve



Pressure gauge for "Push-Push" valve



Valve wrench for Push-Push and overpressure valve HOBBY/PROFI



GUMOTEX safety throw-bag



Fishing rod holder BORIKA



Fishing rod holder CANNON



Repair kit - NITRILON



Tracking fin



FRAMURA rudder



SEAWAVE rudder



RUSH rudder

CLOTHES



GUMOTEX paddle jacket

This paddling jacket is great for touring and recreational paddling. The jacket is breathable and waterproof. It is made of soft neoprene, neck and wrist cuffs are adjustable, offering great comfort.



GUMOTEX child jacket

It is made of durable two-layer material. This jacket is designed to keep kids warm during their explorations in the wet condition.

Neoprene neck cuff and wrist cuffs are adjustable. The waist can be tightened by easy-to-use rubber cord.



Life jacket



Child life jacket



GUMOTEX paddle helmet

Protection helmet for watersports is very light and comfortable. The adjusting system makes the helmet highly universal and it fits almost everyone. This version includes ear protection.



GUMOTEX paddle trousers

Loose fit allows free movement. Neoprene waist is adjustable and protects lower back from cold.



GUMOTEX neoprene shoes

Neoprene shoes protect your feet from cold water and sharp rocks.



GUMOTEX neoprene trousers

Trousers are made of 3 mm neoprene. They provide good warmth and flexibility during watersports. Thanks to two-way zipper in the front and short zippers on the ankles, is put on and taken off very easily. Exposed areas are protected with PU coating.



GUMOTEX neoprene socks

Neoprene socks are made of 3 mm thick neoprene with abrasion resistant material on the outside. They offer warmth.



BOAT DESCRIPTION





















Drybag for storing equipment 20 I, 40 I, 60 I

	RUSH 1	RUSH 2	THAYA	SWING 1	SWING 2	TWIST 1	TWIST 2/1	SOLAR	FRAMURA	SEAWAVE
Length	355	420	410	316	402	260	360	410	410	455
Width	81	82	89	87	87	79	83	80	75	83
Air chambers	3+1	3+2	3 + 2 / 4 / 6 + 2	3	3	3+2	3+3	3+2+2	3+1+1	3+3+2
Max. operation pressure	0,02/0,2/3,0 0,05/0,5/7,2	0,02/0,2/3,0 0,05/0,5/7,2	0,02/0,2/3,0 0,05/0,5/7,2	0,02/0,2/3,0	0,02/0,2/3,0	0,02/0,2/3,0	0,02/0,2/3,0	0,02/0,2/3,0	0,02/0,2/3,0	0,025/0,25/3,7
Packed dimensions	65 x 40 x 28	69 x 48 x 28	63 x 40 x 26	64 × 42 × 24	67 × 42 × 30	53 x 35 x 19	53 x 36 x 20	54 × 39 × 24	68 × 40 × 30	68 x 43 x 30
Weigh	12	15,5	17,5	11,3	14,3	9	13	16	16	17,5
Max. load	150	195	230	120	220	100	180	270	180	250
Max. number of persons	1	2	2+1	1	2	1	2	2+1	1	3
Material	NITRILON®	NITRILON®	NITRILON®	NITRILON®, PES, PUR	NITRILON®, PES, PUR	NITRILON®	NITRILON®	NITRILON®	NITRILON®, PES, PUR	NITRILON®
Colour	6 110	6 110	50 110	5C 11C 11C 11C	5C 11C 1C 11C	50 110 10 110	5C 11C 1C 11C	50 110 10 110	50 110	5C 11C
Difficulty	Gr. 2	Gr. 2	Gr. 2	Gr. 2	Gr. 2	Gr. 1	Gr. 1	Gr. 2	Gr. 1	Gr. 2
Accessories	Tracking fin, Transport drybag 80 I, Repair kit	Tracking fin, Transport drybag 100 I, Repair kit	Tracking fin, Transport drybag 80 I, Repair kit	Tracking fin, Transport bag made from textile, Repair kit		made from textile, Transport bag mad		Tracking fin, Transport drybag 80 I, Repair kit	Transport o	ing fin, drybag 100 l, air kit
Recommended accessories	Double-actio SUPER Cockpit RUSH Drybag for 8 I, 12	pe 719S.2 n hand pump 4/2 HP 1 and RUSH 2 small items 21, 20 I rudder	Kayak paddle type 719S.2 Double-action hand pump SUPER 4/2 HP Additional front deck Drop-stitch seat SOLAR Drybag for small items 8 I, 12 I, 20 I	Spray skirt Kayak paddle type 702 asymetric Double-action hand pump SUPER 4/2 Transport drybag 100 I Drybag for small items 8 I, 12 I, 20 I		Foot pum	pe 702 asymetric p BRAVO 5 small items -1, 20 I	Kayak paddle type 702 asymetric Foot pump BRAVO 1 Seat SOLAR Drybag for small items 8 I, 12 I, 20 I Additional front deck	Spray skirt Paddle type 703.2 sea Double/single-action hand pump SUPER 6/3 FRAMURA rudder Drybag for storing equipment 20 I, 40 I, 60 I	Spray skirt Paddle type 719S.2 Double single-ac- tion hand pump SUPER 6/3 Seat SEAWAVE SEAWAVE Coc- kpit for 1 person SEAWAVE coc- kpit for 2 per- sons SEAWAVE rudder

	К1	К2	SAFARI 330	BARAKA	SCOUT ECONOMY+	SCOUT STANDARD	PALAVA	RUBY XL	ORINOCO
Length	340	390	330	410	445	445	400	430	405
Width	98	100	80	105	95	95	94	125	105
Air chambers	3+2+1	3+2+3	3+1+2	3+1	3	3	3	3	3
Max. operation pressure	0,025/0,25/3,7	0,025/0,25/3,7	0,02/0,2/3,0	0,02/0,2/3,0	0,02/0,2/3,0	0,02/0,2/3,0	0,02/0,2/3,0	0,02/0,2/3,0	0,025/0,25/3,7
Packed dimensions	70 × 45 × 28	70 x 45 x 30	53 x 38 x 24	70 × 43 × 30	70 × 45 × 30	70 × 45 × 30	60 x 40 x 25	68 x 51 x 29	70 × 53 × 32
Weigh	15	20	12	23,5	24,5	25	17,5	29	25,5
Max. load	100	200	130	350	450	450	240	410	350
Max. number of persons	<u> </u>	2	1	2+1	3 (2 + 2)	3 (2 + 2)	2+1	3	2
Material	NITRILON® DS	NITRILON® DS	NITRILON®	NITRILON®	NITRILON®	NITRILON®	NITRILON®	NITRILON®	NITRILON® DS
Colour	2A 11C	2A 11C	50 110	50 110 13 110	5C 11C 13 11C	50 110 13 110	50 110 13 110	5C 11C 13 11C	2A 11C
Difficulty	Gr. 4	Gr. 4	Gr. 3	Gr. 4	Gr. 3	Gr. 3	Gr. 3	Gr. 2	Gr. 4
Accessories	Transport drybag 100 I, Repair kit	Transport drybag 135 I, Repair kit	Tracking fin, Transport drybag 70 I, Repair kit	Transport drybag 100 l, Repair kit	Transport bag, Repair kit	Transport drybag 135 l, Repair kit	Transport drybag 80 I, Repair kit	Transport dry- bag 135 I, Repair kit	Transport dry- bag 135 l, Repair kit
Recommended accessories	Double/sii hand pump Drybag for sto 20 I, 4	pe 702 asymetric ngle-action o SUPER 6/3 ring equipment 0 I, 60 I fety throw-bag	Kayak paddle type 702 asymetric Double-action hand pump SUPER 4 Drybag for sto- ring equipment 20 1, 40 1, 60 1	Canoe paddle type 505 allround Double/single- action hand pump SUPER 6/3 Drybag for sto- ring equipment 20 I, 40 I, 60 I GUMOTEX safety throw-bag	Double/single-ac SUPE Drybag for stor 20 I, 40	pe 505 allround ction hand pump R 6/3 ing equipment D 1, 60 I fety throw-bag	Canoe paddle type 505 allround Double/single- action hand pump SUPER 6/3 Seat PALAVA Drybag for sto- ring equipment 20 I, 40 I, 60 I	Oars 902.2 Canoe paddle type 505 allround Double/single action hand pump SUPER 6/3 Electric or com- bustion engine Drybag for sto- ring equipment 20 I, 40 I, 60 I	Canoe paddle type 505 allround Double/single- action hand pump SUPER 6/3 Drybag for sto- ring equipment 201, 401, 601 GUMOTEX safety throw-bag



















		100	1	-				4	4 5	
	ONTARIO 420		ONTARIO 450 S	COLORADO 450	PULSAR 380N	PULSAR 420 N	PULSAR 450 N	PULSAR 560 N	HALIBUT	ALFONSO
Length	420	450	450	380	420	450	560	375	430	
Width	145	157	160	178	190	210	210	96	125	
Air chambers	3+3	3+3	3 + 5	5 + 2	5 + 2	5 + 3	5+3	3+1	3	
Max. operation pressure	0,02/0,2/3,0	0,02/0,2/3,0	0,02/0,2/3,0	0,025/0,25/3,7	0,025/0,25/3,7	0,025/0,25/3,7	0,025/0,25/3,7	0,02/0,2/3,0	0,02/0,2/3,0	
Packed dimensions	67 × 55 × 33	67 × 58 × 30	68 x 55 x 31	80 x 65 x 40	85 × 65 × 40	90 x 70 x 35	100 x 70 x 50	70 × 46 × 30	68 × 55 × 30	
Weigh	29	30	37,5	44	50	60	75	21	32,7	
Max. load	600	630	600	650	800	900	920	200	410	
Max. number of persons	6	6	6	7	8	9	12	1	3	
Material	NITRILON®	NITRILON®	NITRILON®	NITRILON® DS, NITRILON® Extra	NITRILON® DS, NITRILON® Extra	NITRILON® DS, NITRILON® Extra	NITRILON® DS, NITRILON® Extra	NITRILON®	NITRILON®	
Colour	2A 11C 13 11C	2A 11C 13 11C	2A 11C 13 11C	2A 11C 11C	2A 11C 11C	2A 11C 11C	2A 11C 11C	13 11 C	13 110	
Difficulty	Gr. 3	Gr. 3	Gr. 4	Gr. 5	Gr. 5	Gr. 5	Gr. 4	Gr. 1	Gr. 2	
Accessories		ort bag, air kit	Transport bag, Repair kit	Transport bag, Repair kit				Tracking fin, Transport drybag 100 I, Repair kit	Transport drybag 135 I, Repair kit	
Recommended	Canoe paddle ty	pe 505 allround	Canoe paddle	Canoe paddle type 504 raftguide				Kayak paddle	Canoe paddle	

accessories

Double/single-action hand pump SUPER 6/3 Drybag for storing equipment 20 1, 40 1, 60 1

type 505 allround Double/single action

hand pump SUPER 6/3 Drybag for storing equipment 20 1, 40 1, 60 1 GUMOTEX safety throw-bag

Single-action hand pump RAFTER 5I Abrasion resistant foil Drybag for storing equipment 20 I, 40 I, 60 I

GUMOTEX safety throw-bag

type 702

asymetric

Double-action

hand pump

SUPER 4

Drybag for small

items

8 I, 12 I, 20 I

type 505 allround Oars 902.2 Double/single action hand pump SUPER 6/3 Electric or combustion engine Drybag for storing equipment

20 I, 40 I, 60 I





GUMOTEX coating, s.r.o. Mládežnická 3062/3a 690 02 Břeclav Czech Republic

Phone: +420 519 314 111 E-mail: BoatsAndOutdoor@gumotex.cz www.gumotexboats.com